



Specification Sheet

Lake Cable Part #: 223PRCS

Description: 22 AWG 3 pairs 7 strands bare copper wire, PVC insulation, an overall aluminum/mylar shield, a stranded tinned copper drain wire, and a PVC Jacket.

1. Conductor

- 1.1. AWG Size & Stranding: 22 AWG 7 Strands Class B
- 1.2. Material: Annealed Bare Copper
- 1.3. Conductor Count: 3 Pairs

2. Insulation

- 2.1. Material: Polyvinylchloride
- 2.2. Wall Thickness: 0.007"
- 2.3. Color Code: Black x Red, Black x White, Black x Green

3. Assembly

- 3.1. Pair Lay Length: 2.00" LHL (6.0 Tw/Ft)
- 3.2. Cable Lay Length: 3.00" LHL (4.0 Tw/Ft)
- 3.3. Shield: Aluminum/Mylar - 100% Coverage
- 3.4. Drain Wire: 24 AWG 7 Strands Tinned Copper

4. Jacket

- 4.1. Material: Polyvinylchloride
- 4.2. Wall Thickness: 0.015"
- 4.3. Diameter: 0.183" ± 0.015"
- 4.4. Color: Gray
- 4.5. Ripcord: Yes
- 4.6. Weight: 25 Lbs/Mft

5. Markings

- 5.1. Type: Cable permanently identified via surface inkjet print
- 5.2. Legend: LAKE CABLE E171202 22AWG 3PR SHIELDED 75°C (UL) CL3R SUN RES OR FPLR OR C(UL)US CMR FT4 "ROHS COMPLIANT" MADE IN USA
- 5.3. Footage Markers: Yes

6. Electrical Characteristics

- 6.1. Impedance: 57.3 Ω ± 10%
- 6.2. Capacitance: 31.4 pF/ft. ± 10%
- 6.3. DC Resistance: 15.3 Ω/Mft. @ 20°C Maximum

7. Standards

- 7.1. Cable suitable for installation under NEC (NFPA 70) articles 800, 725 & 760 guidelines
- 7.2. Cable suitable for installation in Canada under Section 60 of CEC, Part I
- 7.3. C(UL)US listed as CMR per UL standard 444 and per CSA C22.2 No. 214-17
- 7.4. UL listed as CL3R per UL standard 13 and FPLR per UL standard 1424
- 7.5. Cable is RoHS III compliant per Directive 2015/863/EU
- 7.6. Cable is REACH compliant per Regulation (EC) No 1907/2006 Updated July, 7 2017
- 7.7. Made in the USA

Your signature constitutes that you have read and agreed to this specification sheet and upon confirmation of your order; this item may be non-cancelable and non-returnable.

Signature

Company

Date

ALL SPECIFIED PARAMETERS ARE NOMINAL AND SUBJECT TO VERIFICATION